

**Aluminum Trailers and Ramps** 

















## WHAT'S INSIDE

	A Product of Voyager Industries	2
diti	Bear Track Craftsmanship	3
diti	Why Choose Bear Track?	4
didi	Special Features	4

Bear Track Products	
<ul> <li>Utility Trailers</li> </ul>	5
<ul> <li>Tilt Utility Trailers</li> </ul>	6
<ul> <li>ATV/UTV Trailers</li> </ul>	7
<ul> <li>Motorcycle Trailers</li> </ul>	8
<ul> <li>Snowmobile Trailers</li> </ul>	9
<ul> <li>Car Haulers</li> </ul>	10
<ul> <li>Ramps</li> </ul>	11
<ul> <li>Parts &amp; Accessories</li> </ul>	12
Model Specifications	13



# A PRODUCT OF VOYAGER INDUSTRIES

#### **ABOUT US**

Located in the heart of the Minnesota lakes area, Voyager Industries is a leading manufacturer, distributor, and fabricator of aluminum. Voyager Industries manufactures multiple products to meet the wants and needs of customers around the world.

Proprietary brands include **Bear Track Trailers, Yetti Fish Houses, Titan Deck, and Voyager Dock**. We know that there is work to be done, and fun to be had. This is why we put ease on our customers mind by building with aluminum.

Stronger, longer - when you build with aluminum.

## **BEAR TRACK CRAFTSMANSHIP**



## ALL ALUMINUM CONSTRUCTION

Bear Track Trailers' all-aluminum construction creates the ultimate lightweight, virtually maintenance-free trailer.



# DECKING THAT'S BUILT TO LAST

All Bear Track Trailers come standard with extruded, aluminum decking which eliminates deck warping, splinters, and cracks. These custom extrusions with specifically engineered contours also add to the trailer's overall strength and rigidity.



# TOUCHPOINT WELD SYSTEM

Every single point of contact is welded where the deck meets the cross members, adding strength and rigidity to the trailer. You won't find this on the competition!



## WISHBONE TONGUE DESIGN

All Bear Track trailers come standard with a wishbone tongue design, adding extra strength to the tongue and trailer frame – one tough trailer!



# ENCLOSED AND JACKETED WIRING

Bear Track's WireGuard system ensures your wiring is protected from the elements and is something you never need to worry about. The harness is corrosion resistant and virtually maintenance free.



# RUBBER TORSION AXLE W/ EASY-ACCESS GREASE FITTING

Design reduces frame flex in cross winds and on rough roads. There's no shock transfer from wheel to wheel and it lasts longer than traditional spring axles.



# QUIETRIDE NOISE REDUCTION

The quietest trailers on the market! Minimal rattling and road noise. It's so quiet you'll forget you're pulling a trailer.



## BEAR TRACK FIT AND FINISH

Bear Track Trailers are built with an industry-leading fit and finish quality. For over 15 years our team has taken pride in providing customers with the best-looking trailer, from aesthetics, to weld quality.

# WHY CHOOSE BEAR TRACK?







Fuel Economy 👑 Low Maintenance 👑 Durability – and more!



# **SPECIAL FEATURES**

- 1. Arched bi-fold end gate
- 2. Rubber torsion axle with easy access grease fitting
- 3. Extruded aluminum construction
- **4.** Welded stake pockets
- **5.** Curled front rail
- 6. Wishbone tongue
- 7. Enclosed jacketed wiring
- **8.** More welds than the competition





(Standard Utility Trailer)









# UTILITY TRAILERS 1,200 - 4,100 LBS CARRYING CAPAC

From lawnmowers and golf carts to building supplies or large debris, hauling is a breeze with a Bear Track utility trailer. The easy-touse trailer with a low-rise bed for easy loading will save time from loading into a cumbersome pickup bed or SUV. Plus - with a tough, all aluminum frame by Bear Track, you know you have the most innovative, dependable trailer on the market.





## STANDARD FEATURES

- · LED Light Package
- AeroSmart Bi-fold End Gate Arched Bi-fold (Standard Utility) - Straight HD Bi-fold (HD Utility)
- Hinged Gate System & Bolted-on Aluminum Fenders
- · Curled Front Rail
- Formed and Hardened Tongue (Standard Utility Only)
- 5/8 in. Rod Corner Tie Down Points
- · Custom Extruded Deep Side Rail
- SmartDrain System Northern Climate Protection
- All Aluminum Construction with Decking That's Built to Last
- TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- · QuietRide Noise Reduction System
- Bear Track Fit and Finish

## **ACCESSORIES**

- Aluminum Rims
- · Side Kit
- Front Rock Guard (Aluminum Treadplate)
- Treadplate on front rail of Side Kit
- · Spare Tire Carrier
- · Bi-fold Side Gate
- HD Straight Bi-fold Gate(s)
- · D-Ring Tie Downs
- · Wheel Chocks

See inside back cover for complete product specifications.

**MODEL BTU65120S** 



# TILT UTILITY TRAILERS 1,200 - 4,100 LBS CARRYING CAPACITY



Get fast, convenient loading and unloading with a **Bear Track tilt utility trailer**. ATVs and UTVs have never been easier to pack up and go. No matter what your adventure is, these all aluminum trailers are manufactured to withstand the harshest environments and toughest loads! With Bear Track, you know you're getting the most innovative, dependable trailer on the market.

#### STANDARD FEATURES

- · LED Light Package
- · Aluminum Rims
- HD Tilt Latch
- · Bolted-on Aluminum Fenders
- · Custom Extruded Deep Side Rail
- · All Aluminum Construction
- · Decking That's Built to Last
- · TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- QuietRide Noise Reduction System
- · Bear Track Fit and Finish

See Car Haulers for tandem axle tilt.

## **ACCESSORIES**

- Side Kit
- Front Rock Guards (Aluminum Treadplate)
- · Treadplate on front rail of Side Kit
- Spare Tire Carrier
- · D-Ring Tie Downs
- · Wheel Chocks

















# ATV/UTV TRAILERS 1,800 - 2,330 LBS CARRYING CAPAC



Load up your favorite toys, your ATVs and UTVs, with confidence on a Bear Track ATV/UTV trailer. With all aluminum construction and decking that's built to last, your vehicles are safe and sound on this hardcore trailer. Our QuiteRide Noise Reduction System is guaranteed to give you a smooth and manageable trip.



## STANDARD FEATURES

- · LED Light Package
- · Straight Ramps
- · Curled Front Rail
- 5/8 in. Rod Corner Tie Down Points
- · Custom Extruded Deep Side Rail
- SmartDrain System Northern Climate Protection
- · All Aluminum Construction
- · Decking That's Built to Last
- TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- · QuietRide Noise Reduction System
- · Bear Track Fit and Finish

## **ACCESSORIES**

- Aluminum Rims
- Side Kit
- Front Rock Guards (Aluminum Treadplate)
- · Treadplate on front rail of Side Kit
- · Spare Tire Carrier
- · D-Ring Tie Downs
- · Wheel Chocks



# MOTORCYCLE TRAILERS 1,800 - 2,100 LBS CARRYING CAPACITY



Your motorcycles or bikes are best hauled on a **Bear Track motorcycle trailer**. Have peace of mind knowing you are transporting your bikes on the most durable and reliable aluminum trailer on the market! Bear Track has your back so you can hit the open road.

### STANDARD FEATURES

- · LED Light Package
- V-Front Design
- · AeroSmart Bi-fold End Gate Straight
- Hinged Gate System
- · Bolted-on Aluminum Fenders
- · Custom Extruded Deep Side Rail
- SmartDrain System Northern Climate Protection
- · All Aluminum Construction
- · Decking That's Built to Last
- · TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- · QuietRide Noise Reduction System
- · Bear Track Fit and Finish

## **ACCESSORIES**

- · Aluminum Rims
- Side Kit
- Front Rock Guards (Aluminum Treadplate)
- · Spare Tire Carrier
- · HD Bi-fold Gate(s)
- · D-Ring Tie Downs
- · Wheel Chocks



















Ensure you, and your snowmobiles arrive at your sledding destination with a Bear Track snowmobile trailer. With our proprietary SafeGuard Loading Ramps, you get a 1.75" ramp edge to assist safe loading. Take on even the gnarliest of rides with a tough, all aluminum frame by Bear Track - the most innovative, dependable trailer on the market.

## STANDARD FEATURES

- · LED Light Package
- · Custom Extruded Deep Side Rail
- SafeGuard Loading Ramp
- 5/8" Marine Grade Floor
- · All Aluminum Construction
- · Decking That's Built to Last
- TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- · QuietRide Noise Reduction System
- · Bear Track Fit and Finish



### **ACCESSORIES**

- Aluminum Rims
- · Salt Shield/Drive-off Ramp
- EZ Guides
- Traction Mats
- Spare Tire Carrier
- · D-Ring Tie Downs
- Wheel Chocks

See inside back cover for complete product specifications.

**MODEL BTS99144V** 



# CAR HAULERS 5,700 LBS CARRYING CAPACITY



Put your mind at ease with a safe, easy-to-use, tough and durable **Bear Track** Car Hauler. With aluminum loading ramps, our wishbone tongue design and optional tandem axle tilt, you can haul your cars with the confidence that comes with knowing you're hauling them on the toughest

trailer on the market.



## STANDARD FEATURES

- · LED Light Package
- · Aluminum Rims
- · Bolted-On Aluminum Fenders
- · Aluminum Loading Ramps
- · 4 D-Ring Tie Downs
- · All Aluminum Construction
- · Decking That's Built to Last
- TouchPoint Weld System
- · Wishbone Tongue Design
- WireGuard Enclosed and Jacketed Wiring System
- · Rubber Torsion Axle with Easy Access Grease Fitting
- · QuietRide Noise Reduction System

- - · Rear Stabilizing Legs

**ACCESSORIES** 

- BeaverTail Design
- Front Rock Guards (Aluminum Treadplate)
- Spare Tire Carrier
- D-Ring Tie Downs
- Front Aluminum Toolbox
- Wheel Chocks
























You never have to worry about loading or unloading your gear with a **Bear Track** aluminum ramp. Our unique channel system is designed to divert loading stress from the welds, with added support from safety chains, rubber-coated support arms and all aluminum construction. You'll get a worry-free, maintenance-free ramp that enables you to load your trailers quickly and safely.

## STANDARD FEATURES

- · Weight Distribution System
- Safety Chains
- Rubber Coated Support Arms
- · All Aluminum Construction
- · Bear Track Fit and Finish









## **PARTS & ACCESSORIES**



### LIGHTS & ELECTRICAL

50109 Utility Tail Light (right)
50034 LED Utility Tail Light (right)
50110 Utility Tail Light (left)
50034 LED Utility Tail Light (left)
50114 Utility Rear I.D. Bar (mid/rear)
50153 LED Utility Rear I.D. Bar
50111 Utility Clearance Light (front/side)
50210 LED Utility Clearance Light

#### **FENDERS**

V001095 9" Utility Fender (single axle) V001566 10" Utility Fender (single axle) V001568 10" Tandem Fender (tandem axle)

#### TIRES/WHEELS

Upgrade from 13" painted to 13" Aluminum Wheels (per axle)
Upgrade from 14" painted to 14" Aluminum Wheels (per axle)
Upgrade from 13" painted to 14" Painted Wheels (per axle)
Upgrade from 13" painted to 14" Aluminum Wheels (per axle)
50003 13" Painted Spoke Tire and Wheel
50004 13" Aluminum Tire and Wheel
50007 12" Painted Spoke Tire and Wheel
50009 12" Aluminum Tire and Wheel
50122 10" Spare Tire and Wheel
50010 14" Painted Spoke Tire and Wheel
20012 14" Aluminum Tire and Wheel

## WHEEL CHOCKS

XBTU1CHSM 4.5" Wheel Chock XBTU1CHLG 7" Wheel Chock

## ROCK GUARDS FOR MOTORCYCLE TRAILERS

XBTU1RG V-FRONT ROCK GUARD (53 X 120V motorcycle trailer)
XBTU20RG V-FRONT ROCK GUARD (76 X 132V motorcycle trailer)
\*\*BTCUSTOM V-FRONT ROCK GUARD
(80 X 142V motorcycle trailer)

## **END GATES**

## **ENCLOSED SIDE RAIL KIT**

1 ft high - 8 ft trailers 1 ft high - 10 ft trailers 1 ft high - 12 ft trailers 1 ft high - 14 ft trailers 1 ft high - 16 ft trailers 2 ft high - 8 ft trailers 2 ft high - 10 ft trailers 2 ft high - 12 ft trailers 2 ft high - 14 ft trailers 2 ft high - 16 ft trailers

# STRAIGHT FRONT ROCK GUARDS (Aluminum Treadplate)

XBTUST53RG 53 in. Rock Guard
XBTUST65RG 65 in. Rock Guard
XBTUST76RG 76 in. Rock Guard
XBTUST80RG 80 in. Rock Guard
XBTUST82RG 82 in. Rock Guard

# TREADPLATE ON FRONT RAIL OF SIDE KIT

XBTUTP53 Treadplate 53 in. Front Rail (installed)
XBTUTP65 Treadplate 65 in. Front Rail (installed)
XBTUTP76 Treadplate 76 in. Front Rail (installed)
XBTUTP80 Treadplate 80 in. Front Rail (installed)
XBTUTP82 Treadplate 82 in. Front Rail (installed)

## **SPARE TIRE CARRIER**

BTA0012 Spare Tire Side Rail Mount BTA0032 Spare Tire Tongue Mount

## MISC. ITEMS

50033 2" Coupler, 3.5 K **XBTUDRING** D-Ring Tle Down 50242 D-Ring Tie Down (Car Haulers and Tilts) X50020T End Gate Brace 50116 Rubber Grommet (for end gate brace) 50119 Rubber Latch Handle (small) 50120 Rubber Latch Handle (medium) 50001 Tongue Jack - 1,200 lb. capacity 50189 Tongue Jack - 1,500 lb. capacity

# **MODEL SPECIFICATIONS**



## **UTILITY TRAILERS**

Model	<b>Bed Width</b>	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU49078S	49"	78"	1,200 lbs	1,475 lbs	1,800# Torsion	1	480X12-B	275 lbs
BTU53096S	53"	96"	1,800 lbs	2,100 lbs	2,200# Torsion	1	ST175-80-R13-C	300 lbs
BTU53120S	53"	120"	1,800 lbs	2,165 lbs	2,200# Torsion	1	ST175-80-R13-C	365 lbs
BTU65096S	65"	96"	1,800 lbs	2,125 lbs	2,200# Torsion	1	ST175-80-R13-C	325 lbs
BTU65120S	65"	120"	1,800 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	390 lbs
BTU65144S	65"	144"	1,775 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	425 lbs
BTU65168S	65"	168"	1,680 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	520 lbs
BTU76120S	76"	120"	1,775 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	415 lbs
BTU76144S	76"	144"	1,750 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	440 lbs
BTU82120S	82"	120"	1,775 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	425 lbs
BTU82144S	82"	144"	1,750 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	450 lbs

## **HEAVY DUTY UTILITY TRAILERS**

Model	<b>Bed Width</b>	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTT65168S	65"	168"	2,330 lbs*	2,990 lbs**	2,200# Torsion	2	ST175-80-R13-C	660 lbs
BTT65192S	65"	192"	2,290 lbs*	2,990 lbs**	2,200# Torsion	2	ST175-80-R13-C	700 lbs
BTU80144S	80"	144"	2,320 lbs*	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	670 lbs
BTU80168S	80"	168"	2,270 lbs	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	720 lbs
BTT80168S	80"	168"	2,131 lbs*	2,991 lbs**	2,200# Torsion	2	ST175-80-R13-C	860 lbs
BTT80192S	80"	192"	2,080 lbs*	2,990 lbs**	2,200# Torsion	2	ST175-80-R13-C	910 lbs
BTT80216S	80"	216"	2,030 lbs*	2,990 lbs**	2,200# Torsion	2	ST205-75-R14-C	960 lbs
BTT80240S	80"	240"	1,980 lbs*	2,990 lbs**	2,200# Torsion	2	ST205-75-R14-C	1,010 lbs

<sup>\*</sup>Carrying capacity = 2,800 lbs with optional brakes

## **TILT UTILITY TRAILERS**

Model	Bed Width	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU81128T	81"	128"	2,340 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14C	650 lbs
BTU81152T	81"	152"	2,290 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14C	700 lbs
BTU81176T	81"	176"	2,240 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14C	750 lbs

<sup>\*</sup>Carrying capacity = 2,750 lbs with optional brakes

## **HEAVY DUTY TILT UTILITY TRAILERS**

Model	<b>Bed Width</b>	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU79152T	79"	152"	4,115 lbs	5,000 lbs	5,200# Torsion	1	ST225-75-R15-D	885 lbs
BTU79176T	79"	176"	4,050 lbs	5.000 lbs	5,200# Torsion	1	ST225-75-R15-D	950 lbs

## **ATV/UTV TRAILERS**

Model	<b>Bed Width</b>	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTX82102S	82"	102"	1,800 lbs	2,200 lbs	2,200# Torsion	1	20.5X8X10-C	400 lbs
BTX82120S	82"	120"	2,330 lbs	2,810 lbs	3,000# Torsion	1	20.5X8X10-E	480 lbs
BTX82144S	82"	144"	2,330 lbs	2,855 lbs	3,000# Torsion	1	20.5X8X10-E	525 lbs
BTX82168S	82"	168"	2,330 lbs	2,990 lbs	3,000# Torsion	1	20.5X8X10-E	660 lbs
BTX82168D	82"	168"	2,190 lbs	2,940 lbs	2,200# Torsion	2	20.5X8X10-C	750 lbs
BTX82192D	82"	192"	2,100 lbs	2,990 lbs	2,200# Torsion	2	20.5X8X10-C	890 lbs

## **MOTORCYCLE TRAILERS**

Model	<b>Bed Width</b>	Bed Length	<b>Carrying Capacity</b>	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTM53120S	53"	120"	1,800 lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	375 lbs
BTM65120S	65"	120"	1,765 lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	410 lbs
BTM76132S	76"	132"	2,100 lbs	2,550 lbs	3,000# Torsion	1	ST175-80-R13-C	450 lbs
BTM80144S	80"	144"	2,100 lbs	2,610 lbs	3,000# Torsion	1	ST175-80-R13-C	510 lbs

<sup>\*\*</sup>GVWR without electric brakes

<sup>\*\*</sup>GVWR without electric brakes

## **SNOWMOBILE TRAILERS**

Model	Bed Width	Overall Width	Bed Length	Carrying Capacity	GVWR	Axle Type	# of Axles	Brake Option	Tire Size	Trailer Weight	Tongue Jack	Tongue
BTS99120T	99.25"	101.5"	120"	1,380 Lbs.	1,870 lbs	2,200# Torsion	1	N/A	18.5x8C	490#	Opt.	N/A
BTS99120V	99.25"	101.5"	120"	1,360 Lbs.	1,870 lbs	2,200# Torsion	1	N/A	18.5x8C	510#	Opt.	Std.
BTS99132V	99.25"	101.5"	132"	1,310 Lbs.	1,870 lbs	2,200# Torsion	1	N/A	18.5x8C	560#	Opt.	Std.
BTS99144V	99.25"	101.5"	144"	1,580 Lbs.	2,200 lbs	2,200# Torsion	1	N/A	18.5x8C	620#	Opt.	Std.
BTS99168D	99.25"	101.5"	168"	2,115 Lbs.	2,990 lbs	2,200# Torsion	2	0 or 2	20.5x10C	875#	Std.	Std.
BTS99192D	99.25"	101.5"	192"	1,990 Lbs.	2,991 lbs	2,200# Torsion	2	0 or 2	20.5x10C	1,000#	Std.	Std.
BTS99240D	99.25"	101.5"	240"	3,200 Lbs.	4,400 lbs	2,200# Torsion	2	0 or 2	ST175-80R13(C)	1,200#	Std.	Std.
BTS99264D	99.25"	101.5"	264"	3,100 Lbs.	4,400 lbs	2,200# Torsion	2	0 or 2	ST175-80R13(C)	1,300#	Std.	Std.

## **CAR HAULERS**

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81192S	81"	192"	5,700 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,300 lbs
BTC81216S	81"	216"	5,650 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,350 lbs

## **TILT CAR HAULERS**

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81218T	81"	218"	5,500 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,500 lbs
BTC81242T	81"	242"	5.450 lbs	7,000 lbs	3.500# Torsion	2	ST205-75-14C	1,550 lbs

### **RAMPS**

#### **UTILITY BIFOLD**

<b>Wid.</b> 45"	<b>Len.</b> 73"	Folded 22.75"	Capacity 1,000 lbs	Weight 23 lbs	Rung Sp 6.5" 6.5"
. —			,		6.5"
. —			,		
			,		6.5"
48"	76"	24.5"	1,000 lbs	27 lbs	6.5"
50"	76"	25.5"	1,000 lbs	28 lbs	6.5"
45.5"	88"	23"	1,000 lbs	30 lbs	6.5"
48"	88"	24.5"	1,000 lbs	31 lbs	6.5"
50"	88"	24.5"	1,000 lbs	32 lbs	6.5"
48"	97"	24.5"	1,000 lbs	39 lbs	6.5"
45.5"	76"	23"	1,200 lbs	29 lbs	6.5"
48"	76"	24.5"	1,200 lbs	30 lbs	6.5"
45.5"	88"	23"	1,200 lbs	33 lbs	6.5"
48"	88"	24.5"	1,200 lbs	34 lbs	6.5"
45.5"	76"	23"	1,500 lbs	38 lbs	4.25"
48"	76"	24.5"	1,500 lbs	39 lbs	4.25"
45.5"	88"	23"	1,500 lbs	43 lbs	4.25"
48"	88"	24.5"	1,500 lbs	44 lbs	4.25"
48"	97"	24.5"	1,500 lbs	50 lbs	6.5"
	45" 42" 42" 45.5" 48" 50" 45.5" 48" 45.5" 48" 45.5" 48" 45.5" 48" 45.5" 48"	45" 73" 42" 68" 42" 76" 45.5" 76" 48" 76" 50" 76" 45.5" 88" 48" 97" 45.5" 76" 48" 76" 45.5" 88" 48" 88" 45.5" 76" 48" 76" 45.5" 88" 48" 88"	45"         73"         22.75"           42"         68"         21.5"           42"         76"         21.5"           45.5"         76"         23"           48"         76"         25.5"           45.5"         88"         23"           48"         88"         24.5"           50"         88"         24.5"           48"         97"         24.5"           45.5"         76"         23"           48"         76"         24.5"           45.5"         88"         23"           48"         88"         24.5"           45.5"         76"         23"           48"         88"         24.5"           45.5"         76"         23"           48"         76"         24.5"           45.5"         76"         23"           48"         76"         24.5"           45.5"         88"         23"           48"         76"         24.5"           45.5"         88"         23"           48"         88"         24.5"	45"         73"         22.75"         1,000 lbs           42"         68"         21.5"         1,000 lbs           42"         76"         21.5"         1,000 lbs           45.5"         76"         23"         1,000 lbs           48"         76"         24.5"         1,000 lbs           50"         76"         25.5"         1,000 lbs           48."         88"         24.5"         1,000 lbs           48"         88"         24.5"         1,000 lbs           48"         97"         24.5"         1,000 lbs           45.5"         76"         23"         1,200 lbs           45.5"         88"         24.5"         1,200 lbs           45.5"         88"         24.5"         1,200 lbs           45.5"         76"         23"         1,500 lbs           48"         76"         24.5"         1,500 lbs           48"         76"         24.5"         1,500 lbs           45.5"         88"         23"         1,500 lbs           45.5"         88"         23"         1,500 lbs           48"         88"         24.5"         1,500 lbs	45"         73"         22.75"         1,000 lbs         23 lbs           42"         68"         21.5"         1,000 lbs         23 lbs           42"         76"         21.5"         1,000 lbs         24 lbs           45.5"         76"         23"         1,000 lbs         26 lbs           48"         76"         24.5"         1,000 lbs         27 lbs           50"         76"         25.5"         1,000 lbs         30 lbs           48."         88"         23"         1,000 lbs         30 lbs           48"         88"         24.5"         1,000 lbs         31 lbs           50"         88"         24.5"         1,000 lbs         32 lbs           48"         97"         24.5"         1,000 lbs         39 lbs           45.5"         76"         23"         1,200 lbs         39 lbs           45.5"         76"         24.5"         1,200 lbs         33 lbs           48"         88"         24.5"         1,200 lbs         33 lbs           45.5"         76"         23"         1,500 lbs         38 lbs           45.5"         76"         23"         1,500 lbs         39 lbs

#### **UTILITY TRIFOLD**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
648-T	48"	76"	16.5"	1,500 lbs	33 lbs	6.5"
654-T	54"	76"	18.5"	1,500 lbs	35 lbs	6.5"
660-T	60"	76"	20.5"	1,500 lbs	39 lbs	6.5"
748-T	48"	88"	16.5"	1,500 lbs	40 lbs	6.5"
754-T*	54"	88"	18.5"	1,500 lbs	42 lbs	6.5"
760-T*	60"	88"	20.5"	1,500 lbs	46 lbs	6.5"

Note: BT Ramps may be used for certain tractor models and golf carts. Note: All weight ratings based on ramps in at least 30° position. Other special ramps may be available, call with specifications.

#### **SNOWMOBILE BIFOLD**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
648-BS	48"	72"	24.5"	1,000 lbs	39 lbs	6.5"
650-BS	50"	72"	25.5"	1,000 lbs	40 lbs	6.5"
748-BS*	48"	88"	24.5"	1,000 lbs	48 lbs	6.5"
750-RS*	50"	88"	25.5"	1 000 lbs	49 lhs	6.5"

Note: Includes 8" polyethylene EZ Guide strips for carbide skis – 1.75" guide rail centers snowmobile for ease of loading and unloading.

#### **UTV TRIFOLD**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
762-UTV*	62"	88"	20.5"	2,500 lbs	55 lbs	6.5"
764-UTV*	64"	88"	21"	2.500 lbs	62 lbs	6.5"

Note: All weight ratings based on ramps in at least 30° position. Other special ramps may be available, call with specifications.

#### **MOTORCYCLE BIFOLD**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
7814-S ea	14"	76"	Single	900 lbs	14 lbs	5.25"
9014-S pr	14"	88"	Single	1,500 lbs	31 lbs	5.25"

Note: Models are single straight ramps, 7814-S sold as ea. & 9014-S sold in pairs. Note: All weight ratings based on ramps in at least 30° position. Other special ramps may be available, call with specifications.

#### **CAR STRAIGHT**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
6014 pr	15"	60"	Single	4,500 lbs	60 lbs	4"
Note: Sold i	n pairs.					

#### **GENERAL ARCHED**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
7814	14"	76"	Single	1,500 lbs	29 lbs	3.5"
7814-X	14"	76"	Single	2,000 lbs	35 lbs	3.5"
9014	14"	88"	Single	1,500 lbs	34 lbs	3.5"
9014-X	14"	88"	Single	2.000 lbs	40 lbs	3 5"

Note: Models are single curved ramps, sold in pairs. Note: All weight ratings based on ramps in at least 30° position. Other special ramps may be available, call with specifications.

#### **GENERAL FOLDING ARCHED**

Model	Wid.	Len.	Folded	Capacity	Weight	Rung Sp.
7814-F	14"	76"	Single	2,500 lbs	40 lbs	5.25"
9014-F	14"	88"	Single	2,500 lbs	48 lbs	5.25"

Note: Models are single curved ramps, sold in pairs. Note: All weight ratings based on ramps in at least 30° position. Other special ramps may be available, call with specifications.

<sup>\*</sup> Not shipped via UPS or Fed Ex. Shipped via SpeeDee in MN, WI, IA, SD, ND.

<sup>\*</sup> Not shipped via UPS or Fed Ex. Shipped via SpeeDee in MN, WI, IA, SD, ND.

<sup>\*</sup> Not shipped via UPS or Fed Ex. Shipped via SpeeDee in MN, WI, IA,

#### **Bear Track Products**

PO Box 566 803 Central Ave N Brandon, MN 56315

1-800-417-0504 info@beartrackproducts.com www.BearTrackTrailers.com



2016 Voyager Industries, Inc. LIT701 Rev. A. 8/16. All written and visual data contained in this document are based on the latest product information available at the time of publication. Voyager Industries reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners.